



UPPER FLOOR PLAN

GENERAL NOTES

1. ALL DIMENSIONS TO BE CHECKED ON SITE. WRITTEN DIMENSIONS RULES OVER SCALED DRAWINGS. ANY DISCREPANCY IN DIMENSIONS TO BE REPORTED TO THE ARCHITECT BEFORE PROCEEDING.
2. DEPTH AT FOUNDATION TO BE DETERMINED ON SITE. ALL FOUNDATIONS R.C. COLUMNS AND R.C. WORKS TO STRUCTURAL ENGINEERS' DETAIL.
3. HEAVY DUTY POLYTHENE SHEETING AND TERMITE TREATMENT TO BE PROVIDED UNDER GROUND FLOOR SLAB. DPC TO BE THREE PLY BITUMINOUS FELT LAD UNDER ALL WALLS.
4. P.V. DENOTES PERMANENT VENTILATION. F.L. DENOTES FANLIGHT ABOVE.
5. ALL WALLS TO BE REINFORCED WITH HOOP IRON AT EVERY ALTERNATIVE COURSE.
6. ALL SANITARY WORKS TO BE EXECUTED IN ACCORDANCE WITH M.O.H. RULES AND REGULATIONS.
7. ALL DRAINS UNDER BUILDING, DRIVEWAY AND PARKING TO BE 150mm CAST IRON PIPE ENCASED IN 150mm CONCRETE INSPECTION CHAMBERS WITHIN BUILDING TO BE FITTED WITH HEAVY DUTY DOUBLE SEAL AIR TIGHT COVERS.

FIRE FIGHTING NOTES

1. ALTERNATIVE MEANS OF LIGHTING USING SECONDARY MEANS TO BE INSTALLED.
2. HEAT/SMOKE DETECTORS TO BE INSTALLED.
3. BREAK-GLASS FIRE ALARM SYSTEM TO BE INSTALLED.
4. 4500LTR WATER TANK WITH A BOOSTER PUMP TO BE PROVIDED.
5. 1X9LTR WATER/CO2 AT EACH FIRE POINT TO BE PROVIDED.
6. 1X10KG DRY POWDER AT EACH FIRE POINT TO BE PROVIDED.
7. FIRE NOTICE AND FIRE EXIT SIGNS AT STRATEGIC POSITIONS TO BE PROVIDED.
8. 1000 GALLON WATER FOR FIRE FIGHTING TO BE PROVIDED.
9. 1 NO. 4.5KG FIRE EXTINGUISHER AND 1 NO. BLANKET TO BE PROVIDED.
10. SPRINKLER SYSTEM TO BE INSTALLED IN THE PARKING.
11. 6 NO. HYDRAULIC HOSE REELS 30 METRES LONG WITH OPEN SHUT-OFF JET NOZZLE TO BE PROVIDED.

REV.	DATE	DESCRIPTION	BY

KEY

- PROPOSED NEW WORKS
- - - DEMOLITIONS
- EXISTING WORKS

For and on behalf of:

ARCHIZONE CONSULTANTS

Architect: _____

Reg. No. _____

Signature: _____

MAVOKO APPROVAL STAMP:

CLIENTS STAMP:

Client: D.O MAKASEMBO SECONDARY SCHOOL
P. O. BOX 110
BONDO

Project: PROPOSED TWIN LABORATORY

Plot No. _____ Road _____

Location _____ Town _____

Project Manager / Architect _____

Drawing Title: _____ Scale: _____

Drawing No: _____ Project No: _____ Rev. No: _____

Drawn By: _____ Checked By: _____ Date: 01/08/24

PC MAC CADD. File: _____

ARCHIZONE CONSULTANTS
ARCHITECTS, INTERIOR DESIGNER & PROJECT MANAGERS
P. O. Box 21513 - 00505 (Adams Arcade) NAIROBI
Tel: 0714516347 E-mail: okothzaky@gmail.com